according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 6 August 2020

Revision: 6 August 2020

SECTION 1: Identification of the substance/mixture and of the company undertaking

1.1 Product identifier

[•] Trade name: MICRO ALUMINA "T" Treated

· Other means of identification: No other identifiers

1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the mixture: Industrial uses.

· Uses advised against: No further relevant information available.

1.3 Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier: K.C. Abrasive Company 3140 Dodge Road Kansas Citv. KS 66115 Phone: (913) 342-2900

1.4 Emergency telephone number:

ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

Carc. 1A H350 May cause cancer. Route of exposure: Inhalation.

[•] 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the Globally Harmonized System within the United States.

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS08

· Signal word Danger

· Hazard-determining components of labelling:

Quartz (SiO2)

· Hazard statements

H350 May cause cancer. Route of exposure: Inhalation.

· Precautionary statements

Obtain special instructions before use. P201

- P202 Do not handle until all safety precautions have been read and understood.
- P280 Wear protective gloves / eye protection.

(Cont'd. on page 2)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: MICRO ALUMINA "T" Treated

(Cont'd. from page 1)

P308+P313 If exposed or concerned: Get medical advice/attention.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/region

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

Restricted to professional users.

• 2.3 Other hazards There are no other hazards not otherwise classified that have been identified.

- $^{\rm \cdot}$ Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

[•] 3.2 Mixtures

· Components:		
CAS: 1344-28-1 EINECS: 215-691-6 Reg.nr.: 01-2119529248-35-XXXX	aluminium oxide substance with a Community workplace exposure limit	50-100%
CAS: 7631-86-9 EINECS: 231-545-4 Reg.nr.: 01-2119379499-16-XXXX	silicon dioxide substance with a Community workplace exposure limit	2,5-10%
CAS: 1309-48-4 EINECS: 215-171-9 Index number: 025-199-09-0	magnesium oxide substance with a Community workplace exposure limit	2,5-10%
CAS: 14808-60-7 EINECS: 238-878-4	Quartz (SiO2)	<1%
CAS: 1309-37-1 EINECS: 215-168-2 Reg.nr.: 01-2119457614-35-XXXX	Red Iron Oxide substance with a Community workplace exposure limit	<1%
CAS: 13463-67-7 EINECS: 236-675-5 Reg.nr.: 01-2119489379-17-XXXX	titanium dioxide Carc. 2, H351	<1%
CAS: 1305-78-8 EINECS: 215-138-9 Reg.nr.: 01-2119862019-36-XXXX	calcium oxide Eye Dam. 1, H318 Skin Irrit. 2, H315; STOT SE 3, H335	<1%

· Additional information:

Classification of titanium dioxide as a carcinogen is based on the IARC 2B classification and not the EU CLP classification.

For the wording of the listed Hazard Statements refer to section 16.

SECTION 4: First aid measures

[•] 4.1 Description of first aid measures

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

(Cont'd. on page 3)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: MICRO ALUMINA "T" Treated

(Cont'd. from page 2) Provide oxygen treatment if affected person has difficulty breathing. · After skin contact: Brush off loose particles from skin. Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. · After eve contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Do not induce vomiting; call for medical help immediately. 4.2 Most important symptoms and effects, both acute and delayed Coughing Breathing difficulty Slight irritant effect on eyes. Gastric or intestinal disorders when ingested. Nausea in case of ingestion. · Hazards: Danger of impaired breathing. May cause cancer. Route of exposure: Inhalation. 4.3 Indication of any immediate medical attention and special treatment needed May produce a emphysemic effect. If necessary oxygen respiration treatment.

SECTION 5: Firefighting measures

[•] 5.1 Extinguishing media

• Suitable extinguishing agents:

The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- [•] 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation

Avoid formation of dust.

Avoid breathing dust.

- 6.2 Environmental precautions Damp down dust with water spray.
- 6.3 Methods and material for containment and cleaning up

Pick up mechanically.

(Cont'd. on page 4)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: MICRO ALUMINA "T" Treated

(Cont'd. from page 3)

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Prevent formation of dust. Any unavoidable deposit of dust must be regularly removed. Avoid breathing dust. Use only in well ventilated areas.

· Information about fire - and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles:

Storage area should be dry and well-ventilated.

· Information about storage in one common storage facility: Store away from foodstuffs.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

[•] 8.1 Control parameters

Ingredients with lin	Ingredients with limit values that require monitoring at the workplace:			
1344-28-1 aluminium oxide				
WEL (Great Britain)	Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust			
PEL (USA)	Long-term value: 15*; 5** mg/m³ *Total dust; ** Respirable fraction			
REL (USA)	Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f.			
TLV (USA)	Long-term value: 1* mg/m³ as Al; *as respirable fraction			
7631-86-9 silicon d	7631-86-9 silicon dioxide			
NIOSH REL (USA)	Long-term value: 6 mg/m ³			
OSHA PEL (USA)	Long-term value: 80 mg/m ³			
1309-48-4 magnesi	1309-48-4 magnesium oxide			
WEL (Great Britain)	Long-term value: 10* 4** mg/m ³ (as Mg) *inhalable dust **fume and respirable dust			
PEL (USA)	Long-term value: 15* mg/m³ fume; *total particulate			
TLV (USA)	Long-term value: 10* mg/m³ *as inhalable fraction			
	(Cont'd. on page 5)			

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: MICRO ALUMINA "T" Treated

14808-60-7 Quartz ((SiO2)	(Cont'd. from page
	Long-term value: 0,1 mg/m ³	
	respirable dust, averaged over 8 hours	
PEL (USA)	see Quartz listing	
REL (USA)	Long-term value: 0,05* mg/m³ *respirable dust; See Pocket Guide App. A	
TLV (USA)	Long-term value: 0,025* mg/m³ *as respirable fraction	
1309-37-1 Red Iron	Oxide	
WEL (Great Britain)	Short-term value: 10* mg/m³ Long-term value: 5* 10** 4*** mg/m³ *fume (as Fe),**total respirable,***respirable	
PEL (USA)	Long-term value: 10* 15** 5*** mg/m³ *Fume; Rouge: **Total dust, ***respirable	
REL (USA)	Long-term value: 5 mg/m³ Dust & fume, as Fe	
TLV (USA)	Long-term value: 5* mg/m³ *as respirable fraction	
13463-67-7 titanium	n dioxide	
WEL (Great Britain)	Long-term value: 10* 4** mg/m ³ *total inhalable **respirable	
PEL (USA)	Long-term value: 15* mg/m³ *total dust	
REL (USA)	See Pocket Guide App. A	
TLV (USA)	Long-term value: 10 mg/m³ withdrawn from NIC	
1305-78-8 calcium	oxide	
IOELV (EU)	Short-term value: 4 mg/m ³ Long-term value: 1 mg/m ³ Respirable fraction	
WEL (Great Britain)	Long-term value: 2 mg/m ³	
PEL (USA)	Long-term value: 5 mg/m ³	
REL (USA)	Long-term value: 2 mg/m ³	
TLV (USA)	Long-term value: 2 mg/m ³	
The usual precaution Keep away from foor Wash hands before Avoid close or long t Avoid contact with th Do not breathe dust. Respiratory protect	and hygienic measures: hary measures are to be adhered to when handling chemicals. dstuffs, beverages and feed. breaks and at the end of work. erm contact with the skin. he eyes.	
Suitable respiratory	protective device recommended.	(Cont'd. on pa

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: MICRO ALUMINA "T" Treated

(Cont'd. from page 5)

Avoid inhalation of the chemical/ the product/ the preparation by organizational measures. For spills, respiratory protection may be advisable.

Wear appropriate NIOSH or EU approved respirator when ventilation is inadequate and occupational exposure limits are exceeded.

Protection of hands:

Wear gloves for the protection against mechanical hazards according to NIOSH or EN 388.

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection:

Not required under normal conditions of use.

Protection may be required for spills.

- · Limitation and supervision of exposure into the environment: No special requirements.
- · Risk management measures: No special requirements.

SECTION 9: Physical and chemical properties				
9.1 Information on basic physical	and chemical properties			
Appearance				
Form:	Crystalline powder			
Colour:	White			
Odour:	Odourless			
Odour threshold:	Not determined.			
pH-value:	Not applicable.			
Melting point/freezing point:	2000 °C (3.632 °F)			
Initial boiling point and boiling range:	Not determined.			
Flash point:	Not applicable.			
Flammability (solid, gas):	Not determined.			
Auto/Self-ignition temperature:	Not determined.			
Decomposition temperature:	Not determined.			
Explosive properties:	Product does not present an explosion hazard.			
Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
Oxidising properties	Non-oxidising.			
Vapour pressure:	Not applicable.			
Density:				
Relative density:	2,5			
Vapour density:	Not applicable.			
Evaporation rate:	Not applicable.			
		(Cont'd. on page		

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 6 August 2020

Revision: 6 August 2020

(Cont'd. from page 6)

Trade name: MICRO ALUMINA "T" Treated

· Solubility in / Miscibility with water:

Insoluble.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity Dynamic:

Not applicable.

Kinematic: 9.2 Other information Not applicable. No further relevant information available.

SECTION 10: Stability and reactivity

. 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

Reacts with strong acids and alkali.

· 10.4 Conditions to avoid Prevent formation of dust.

. 10.5 Incompatible materials No further relevant information available.

* 10.6 Hazardous decomposition products Toxic metal oxide smoke

SECTION 11: Toxicological information

11.1 Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification: None.

· Primary irritant effect

• Skin corrosion/irritation: Based on available data, the classification criteria are not met.

· Serious eye damage/irritation: Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

· Carcinogenic categories

IARC (International Agency for Research on Cancer):

14808-60-7 Quartz (SiO2)

13463-67-7 titanium dioxide

NTP (National Toxicology Program):

14808-60-7 Quartz (SiO2)

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable routes of exposure:

Ingestion.

(Cont'd. on page 8)

2B

1

Κ

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: MICRO ALUMINA "T" Treated

(Cont'd. from page 7)

Inhalation. Eye contact.

Skin contact.

· Repeated dose toxicity:

Repeated or long-term inhalation of product dusts may cause pulmonary disease.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity:

May cause cancer. Route of exposure: Inhalation.

• **Reproductive toxicity:** Based on available data, the classification criteria are not met.

• STOT-single exposure: Based on available data, the classification criteria are not met.

• STOT-repeated exposure: Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

[·] 12.1 Toxicity

· Aquatic toxicity: Generally not hazardous for water

* 12.2 Persistence and degradability No further relevant information available.

* 12.3 Bioaccumulative potential No further relevant information available.

• **12.4 Mobility in soil** No further relevant information available.

• Additional ecological information:

· General notes:

Negative ecological effects are, according to the current state of knowledge, not expected.

12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

. 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

[·] 14.1 UN-Number [·] DOT, ADR, IMDG, IATA

Not Regulated

(Cont'd. on page 9)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: MICRO ALUMINA "T" Treated

	(Cont'd. from page	e 8)
 14.2 UN proper shipping name DOT, ADR, IMDG, IATA 	Not Regulated	
[•] 14.3 Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not Regulated	
 14.4 Packing group DOT, ADR, IMDG, IATA 	Not Regulated	
 14.5 Environmental hazards: Marine pollutant: 	No	
14.6 Special precautions for user	Not applicable.	
 14.7 Transport in bulk according to Anr of Marpol and the IBC Code 	nex II Not applicable.	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)
 SARA
 Section 355 (extremely hazardous substances): None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

Aluminum oxide listing is only relevant to fibrous forms and is not applicable to the product as supplied.

1344-28-1 aluminium oxide

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65 (California):

· Chemicals known to cause cancer:

14808-60-7 Quartz (SiO2)

13463-67-7 titanium dioxide

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

(Cont'd. on page 10)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: MICRO ALUMINA "T" Treated

(Cont'd. from page 9)

1

2B

IARC (International Agency for Research on Cancer)

14808-60-7 Quartz (SiO2) 13463-67-7 titanium dioxide

NIOSH-Ca (National Institute for Occupational Safety and Health)

14808-60-7 Quartz (SiO2)

13463-67-7 titanium dioxide

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

* 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H350i May cause cancer by inhalation. Route of exposure: Inhalation.

H351 Suspected of causing cancer. Route of exposure: Inhalation.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Carc. 1A: Carcinogenicity - Category 1A Carc. 1A: Carcinogenicity - Category 1Ai Carc. 2: Carcinogenicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

(Cont'd. on page 11)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: MICRO ALUMINA "T" Treated

(Cont'd. from page 10) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by:

ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com