Page: 1/11

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 1 July 2023 Revision: 1 July 2023

SECTION 1: Identification of the substance/mixture and of the company undertaking

- 1.1 Product identifier
- · Trade name: CRYSTAL FINISHING POWDER, "T", ALUMINUM OXIDE POWDER "T"
- · Other means of identification: No other identifiers
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture: Industrial uses.
- · Uses advised against: No further relevant information available.
- 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

K.C. Abrasive Company 3140 Dodge Road Kansas City, KS 66115 Phone: (913) 342-2900

· 1.4 Emergency telephone number:

ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

The product is not classified as hazardous according to the CLP regulation.

Carc. 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.

· 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the Globally Harmonized System within the United States

The product is not classified as hazardous according to the CLP regulation.

· Hazard pictograms

Not applicable within the EU; applicable only for North America.



GHS08

· Signal word

Not applicable within the EU; applicable only for North America. Warning

· Hazard statements

Not applicable within the EU; applicable only for North America. H351 Suspected of causing cancer. Route of exposure: Inhalation.

(Cont'd. on page 2)

Page: 2/11

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 6 August 2020 Revision: 6 August 2020

Trade name: CRYSTAL FINISHING POWDER, "T", ALUMINUM OXIDE POWDER "T"

(Cont'd. from page 1)

· Precautionary statements

Not applicable within the EU; applicable only for North America.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves / eye protection.

P308+P313 If exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards There are no other hazards not otherwise classified that have been identified.
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| 0.2 | | |
|--|---|---------|
| · Components: | | |
| CAS: 1344-28-1 EINECS: 215-691-6 Reg.nr.: 01-2119529248-35-XXXX | aluminium oxide substance with a Community workplace exposure limit | 50-100% |
| CAS: 7631-86-9 EINECS: 231-545-4 Reg.nr.: 01-2119379499-16-XXXX | silicon dioxide substance with a Community workplace exposure limit | 10-20% |
| CAS: 1309-48-4 EINECS: 215-171-9 Index number: 025-199-09-0 | magnesium oxide substance with a Community workplace exposure limit | 5-10% |
| CAS: 13463-67-7 EINECS: 236-675-5 Reg.nr.: 01-2119489379-17-XXXX | titanium dioxide Carc. 2, H351 | 1-5% |
| CAS: 1309-37-1 EINECS: 215-168-2 Reg.nr.: 01-2119457614-35-XXXX | diiron trioxide / iron (III) oxide substance with a Community workplace exposure limit | <1% |
| CAS: 1314-23-4 EINECS: 215-227-2 Reg.nr.: 01-2119486976-14-XXXX | zirconium dioxide substance with a Community workplace exposure limit | <1% |
| CAS: 11129-60-5 EINECS: 234-378-5 | Manganese oxide substance with a Community workplace exposure limit | <1% |

· Additional information:

For the wording of the listed Hazard Statements refer to section 16.

Classification of titanium dioxide as a carcinogen is based on the IARC 2B classification and not the EU CLP classification.

SECTION 4: First aid measures

(Cont'd. on page 3)

Page: 3/11

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 6 August 2020 Revision: 6 August 2020

Trade name: CRYSTAL FINISHING POWDER, "T", ALUMINUM OXIDE POWDER "T"

(Cont'd. from page 2)

4.1 Description of first aid measures

After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

After skin contact:

Brush off loose particles from skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Slight irritant effect on eyes.

Slight irritant effect on skin and mucous membranes.

Gastric or intestinal disorders when ingested.

Breathing difficulty

· Hazards:

Danger of impaired breathing.

Limited evidence of a carcinogenic effect.

4.3 Indication of any immediate medical attention and special treatment needed

If necessary oxygen respiration treatment.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation

Avoid formation of dust.

- · 6.2 Environmental precautions Damp down dust with water spray.
- · 6.3 Methods and material for containment and cleaning up

(Cont'd. on page 4)

Page: 4/11

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 6 August 2020 Revision: 6 August 2020

Trade name: CRYSTAL FINISHING POWDER, "T", ALUMINUM OXIDE POWDER "T"

(Cont'd. from page 3)

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Prevent formation of dust.

Any unavoidable deposit of dust must be regularly removed.

Use only in well ventilated areas.

Avoid breathing dust.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Storage area should be dry and well-ventilated.

- Information about storage in one common storage facility: Store away from foodstuffs.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

| 6. i Control paran | neters | |
|------------------------|---|------------------|
| · Ingredients with lin | mit values that require monitoring at the workplace: | |
| 1344-28-1 aluminiu | ım oxide | |
| WEL (Great Britain) | Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust | |
| PEL (USA) | Long-term value: 15*; 5** mg/m³ *Total dust; ** Respirable fraction | |
| REL (USA) | Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f. | |
| TLV (USA) | Long-term value: 1* mg/m³ as Al; *as respirable fraction | |
| 7631-86-9 silicon d | lioxide | |
| NIOSH REL (USA) | Long-term value: 6 mg/m³ | |
| OSHA PEL (USA) | Long-term value: 80 mg/m³ | |
| 1309-48-4 magnesi | ium oxide | |
| WEL (Great Britain) | Long-term value: 10* 4** mg/m³ (as Mg) *inhalable dust **fume and respirable dust | |
| PEL (USA) | Long-term value: 15* mg/m³ fume; *total particulate | |
| TLV (USA) | Long-term value: 10* mg/m³ | |
| | (Cor | nt'd. on page 5) |

Page: 5/11

(Cont'd. on page 6)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 6 August 2020 Revision: 6 August 2020

Trade name: CRYSTAL FINISHING POWDER, "T", ALUMINUM OXIDE POWDER "T"

| | | (Cont'd. from pa |
|----------------------|--|------------------|
| | *as inhalable fraction | |
| 13463-67-7 titanium | | |
| WEL (Great Britain) | Long-term value: 10* 4** mg/m³ *total inhalable **respirable | |
| PEL (USA) | Long-term value: 15* mg/m³ *total dust | |
| REL (USA) | See Pocket Guide App. A | |
| TLV (USA) | Long-term value: 10 mg/m³ withdrawn from NIC | |
| 1309-37-1 diiron tri | oxide / iron (III) oxide | |
| WEL (Great Britain) | Short-term value: 10* mg/m³ Long-term value: 5* 10** 4*** mg/m³ *fume (as Fe),**total respirable,***respirable | |
| PEL (USA) | Long-term value: 10* 15** 5*** mg/m³ *Fume; Rouge: **Total dust, ***respirable | |
| REL (USA) | Long-term value: 5 mg/m³ Dust & fume, as Fe | |
| TLV (USA) | Long-term value: 5* mg/m³ *as respirable fraction | |
| 1314-23-4 zirconiur | n dioxide | |
| WEL (Great Britain) | Short-term value: 10 mg/m³ Long-term value: 5 mg/m³ as Zr | |
| PEL (USA) | Long-term value: 5 mg/m³ as Zr | |
| REL (USA) | Short-term value: 10 mg/m³ Long-term value: 5 mg/m³ as Zr | |
| TLV (USA) | Short-term value: 10 mg/m³ Long-term value: 5 mg/m³ as Zr | |
| 11129-60-5 Mangan | ese oxide | |
| IOELV (EU) | Long-term value: 0,2* 0,05** mg/m³ as Mn; *inhalable, **respirable fraction | |
| WEL (Great Britain) | Long-term value: 0,5 mg/m³ as Mn | |
| PEL (USA) | Ceiling limit: 5 mg/m³ as Mn | |
| REL (USA) | Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ as Mn | |
| TLV (USA) | Long-term value: 0,02* 0,1** mg/m³ as Mn; *respirable **inhalable fraction | |

Page: 6/11

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 6 August 2020 Revision: 6 August 2020

Trade name: CRYSTAL FINISHING POWDER, "T", ALUMINUM OXIDE POWDER "T"

(Cont'd. from page 5)

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid breathing dust.

Respiratory protection:

Suitable respiratory protective device recommended.

Particulate mask should filter at least 99% of airborne particles.

· Protection of hands:

No chemical-protective gloves required.

Wear gloves for the protection against mechanical hazards according to NIOSH or EN 388.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment:

No further relevant information available.

· Risk management measures: No further relevant information available.

| 9.1 Information on basic physic | cal and chemical properties | |
|---------------------------------------|---|--|
| Appearance | | |
| Form: | Crystalline powder | |
| Colour: | Light brown | |
| Odour: | Odourless | |
| Odour threshold: | Not determined. | |
| pH-value: | Not applicable. | |
| Melting point/freezing point: | Not determined. | |
| Initial boiling point and boiling rar | nge: 2038 °C (3.700,4 °F) | |
| Flash point: | Not applicable. | |
| Flammability (solid, gas): | Not determined. | |
| Auto/Self-ignition temperature: | Not determined. | |
| Decomposition temperature: | Not determined. | |
| Explosive properties: | Product does not present an explosion hazard. | |
| Explosion limits | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Oxidising properties | Non-oxidising. | |
| Vapour pressure: | Not applicable. | |
| Density: | | |

Page: 7/11

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 6 August 2020 Revision: 6 August 2020

Trade name: CRYSTAL FINISHING POWDER, "T", ALUMINUM OXIDE POWDER "T"

(Cont'd. from page 6)

Relative density: 3,97

Vapour density: Not applicable. Evaporation rate: Not applicable.

· Solubility in / Miscibility with

water: Insoluble.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity

Dynamic: Not applicable. **Kinematic:** Not applicable.

9.2 Other informationNo further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

Reacts with strong acids.

- · 10.4 Conditions to avoid Prevent formation of dust.
- 10.5 Incompatible materials No further relevant information available.
- 10.6 Hazardous decomposition products

Under fire conditions only: Toxic metal oxide smoke

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: None.
- · Primary irritant effect
- · Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation: Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer):

13463-67-7 titanium dioxide

2B

· NTP (National Toxicology Program):

None of the ingredients are listed.

(Cont'd. on page 8)

Page: 8/11

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 6 August 2020 Revision: 6 August 2020

Trade name: CRYSTAL FINISHING POWDER, "T", ALUMINUM OXIDE POWDER "T"

(Cont'd. from page 7)

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable routes of exposure:

Eye contact.

Ingestion.

Inhalation.

Skin contact.

- Repeated dose toxicity: Long term inhalation of product dust may be harmful.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity:

Based on IARC classifications and not the CLP classification.

Suspected of causing cancer. Route of exposure: Inhalation.

- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: Generally not hazardous for water
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Negative ecological effects are, according to the current state of knowledge, not expected.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.

(Cont'd. on page 9)

Page: 9/11

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 6 August 2020 Revision: 6 August 2020

Trade name: CRYSTAL FINISHING POWDER, "T", ALUMINUM OXIDE POWDER "T"

(Cont'd. from page 8)

| SECTION 14: Transport information | | |
|---|-------------------------|--|
| · 14.1 UN-Number · DOT, ADR, IMDG, IATA | Not Regulated | |
| · 14.2 UN proper shipping name · DOT, ADR, IMDG, IATA | Not Regulated | |
| · 14.3 Transport hazard class(es) | | |
| · DOT, ADR, IMDG, IATA · Class | Not Regulated | |
| · 14.4 Packing group · DOT, ADR, IMDG, IATA | Not Regulated | |
| · 14.5 Environmental hazards: · Marine pollutant: | No | |
| · 14.6 Special precautions for user | Not applicable. | |
| 14.7 Transport in bulk according to An of Marpol and the IBC Code | nex II Not applicable. | |

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

Aluminum oxide listing is only relevant to fibrous forms and is not applicable to the product as supplied.

1344-28-1 aluminium oxide

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

13463-67-7 titanium dioxide

14808-60-7 Quartz (SiO2)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

(Cont'd. on page 10)

Page: 10/11

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 6 August 2020 Revision: 6 August 2020

Trade name: CRYSTAL FINISHING POWDER, "T", ALUMINUM OXIDE POWDER "T"

(Cont'd. from page 9) None of the ingredients are listed. · EPA (Environmental Protection Agency) 11129-60-5 Manganese oxide D · IARC (International Agency for Research on Cancer) 13463-67-7 titanium dioxide 2B NIOSH-Ca (National Institute for Occupational Safety and Health) 13463-67-7 titanium dioxide Canadian Domestic Substances List (DSL) All ingredients are listed. · Other regulations, limitations and prohibitive regulations Substances of very high concern (SVHC) according to REACH, Article 57 None of the ingredients are listed. · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H351 Suspected of causing cancer. Route of exposure: Inhalation.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Carc. 2: Carcinogenicity - Category 2

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

(Cont'd. on page 11)

Page: 11/11

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 6 August 2020 Revision: 6 August 2020

Trade name: CRYSTAL FINISHING POWDER, "T", ALUMINUM OXIDE POWDER "T"

(Cont'd. from page 10)

1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com