

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS


Printing date: 1 July 2023

Revision: 1 July 2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
 - Trade name: **OPTICAL POWDER, CRYSTAL FINISHING POWDER, ALUMINUM OXIDE POWDER**
 - Other means of identification: No other identifiers
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
 - Application of the substance / the mixture: Industrial uses.
 - Uses advised against: No further relevant information available.
- **1.3 Details of the supplier of the Safety Data Sheet**
 - Manufacturer/Supplier:
 - K.C. Abrasive Company
 - 3140 Dodge Road
 - Kansas City, KS 66115
 - Phone: (913) 342-2900
- **1.4 Emergency telephone number:**
 - ChemTel Inc.
 - (800)255-3924 (North America)
 - +1 (813)248-0585 (International)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
 - Classification according to Regulation (EC) No 1272/2008
 - Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).
 - Carc. 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.
- **2.2 Label elements**
 - Labelling according to Regulation (EC) No 1272/2008
 - The product is classified and labelled according to the Globally Harmonized System within the United States.
 - The product is not classified as hazardous according to the CLP regulation.
 - Hazard pictograms
 - Not applicable within the EU; applicable only for North America.
- 
 - GHS08
- **Signal word**
 - Not applicable within the EU; applicable only for North America.
 - Warning
- **Hazard statements**
 - Not applicable within the EU; applicable only for North America.
 - H351 Suspected of causing cancer. Route of exposure: Inhalation.
- **Precautionary statements**

(Cont'd. on page 2)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: OPTICAL POWDER, CRYSTAL FINISHING POWDER, ALUMINUM OXIDE POWDER

(Cont'd. from page 1)

Not applicable within the EU; applicable only for North America.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves / eye protection.

P308+P313 If exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards** There are no other hazards not otherwise classified that have been identified.

- **Results of PBT and vPvB assessment**




- **PBT:** Not applicable.

- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components:

CAS: 1344-28-1 EINECS: 215-691-6 Reg.nr.: 01-2119529248-35-XXXX	aluminium oxide substance with a Community workplace exposure limit	>90%
CAS: 13463-67-7 EINECS: 236-675-5 Reg.nr.: 01-2119489379-17-XXXX	titanium dioxide  Carc. 2, H351	1-5%
CAS: 7631-86-9 EINECS: 231-545-4 Reg.nr.: 01-2119379499-16-XXXX	silicon dioxide substance with a Community workplace exposure limit	<1%
CAS: 1345-25-1 EINECS: 215-721-8	iron oxide substance with a Community workplace exposure limit	<1%
CAS: 1305-78-8 EINECS: 215-138-9 Reg.nr.: 01-2119862019-36-XXXX	calcium oxide  Eye Dam. 1, H318  Skin Irrit. 2, H315; STOT SE 3, H335	<1%
CAS: 1309-48-4 EINECS: 215-171-9 Index number: 025-199-09-0	magnesium oxide substance with a Community workplace exposure limit	<1%

Additional information:

Classification of titanium dioxide as a carcinogen is based on the IARC 2B classification and not the EU CLP classification.

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and/or exact percentages are being withheld as a trade secret.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation:

Supply fresh air; consult doctor in case of complaints.

(Cont'd. on page 3)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: OPTICAL POWDER, CRYSTAL FINISHING POWDER, ALUMINUM OXIDE POWDER

(Cont'd. from page 2)

Provide oxygen treatment if affected person has difficulty breathing.

· **After skin contact:**

Brush off loose particles from skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact:**

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** Do not induce vomiting; call for medical help immediately.

· **4.2 Most important symptoms and effects, both acute and delayed**

Slight irritant effect on eyes.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

· **Hazards:**

Danger of impaired breathing.

Limited evidence of a carcinogenic effect.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

· **For safety reasons unsuitable extinguishing agents:** None.

· **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

· **5.3 Advice for firefighters**

· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment as required.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation

Avoid formation of dust.

Avoid breathing dust.

· **6.2 Environmental precautions** Damp down dust with water spray.

· **6.3 Methods and material for containment and cleaning up**

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

(Cont'd. on page 4)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: OPTICAL POWDER, CRYSTAL FINISHING POWDER, ALUMINUM OXIDE POWDER

See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Cont'd. from page 3)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Prevent formation of dust.
Any unavoidable deposit of dust must be regularly removed.
Avoid breathing dust.
Use only in well ventilated areas.

· **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

· **Requirements to be met by storerooms and receptacles:**

Storage area should be dry and well-ventilated.

· **Information about storage in one common storage facility:** Store away from foodstuffs.

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

1344-28-1 aluminium oxide

WEL (Great Britain)	Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust
PEL (USA)	Long-term value: 15*; 5** mg/m ³ *Total dust; ** Respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m ³ as Al*Total dust**Respirable/pyro powd./welding f.
TLV (USA)	Long-term value: 1* mg/m ³ as Al; *as respirable fraction

13463-67-7 titanium dioxide

WEL (Great Britain)	Long-term value: 10* 4** mg/m ³ *total inhalable **respirable
PEL (USA)	Long-term value: 15* mg/m ³ *total dust
REL (USA)	See Pocket Guide App. A
TLV (USA)	Long-term value: 10 mg/m ³ withdrawn from NIC

1309-48-4 magnesium oxide

WEL (Great Britain)	Long-term value: 10* 4** mg/m ³ (as Mg) *inhalable dust **fume and respirable dust
PEL (USA)	Long-term value: 15* mg/m ³ fume; *total particulate

(Cont'd. on page 5)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: OPTICAL POWDER, CRYSTAL FINISHING POWDER, ALUMINUM OXIDE POWDER

(Cont'd. from page 4)

TLV (USA)	Long-term value: 10* mg/m ³ *as inhalable fraction
1305-78-8 calcium oxide	
IOELV (EU)	Short-term value: 4 mg/m ³ Long-term value: 1 mg/m ³ Respirable fraction
WEL (Great Britain)	Long-term value: 2 mg/m ³
PEL (USA)	Long-term value: 5 mg/m ³
REL (USA)	Long-term value: 2 mg/m ³
TLV (USA)	Long-term value: 2 mg/m ³
7631-86-9 silicon dioxide	
NIOSH REL (USA)	Long-term value: 6 mg/m ³
OSHA PEL (USA)	Long-term value: 80 mg/m ³
1345-25-1 iron oxide	
REL (USA)	Long-term value: 1 mg/m ³ as Fe
TLV (USA)	Long-term value: 1 mg/m ³ as Fe

8.2 Exposure controls

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.
Avoid close or long term contact with the skin.
Avoid contact with the eyes.
Wash hands before breaks and at the end of work.
Do not breathe dust.

Respiratory protection:

Suitable respiratory protective device recommended.
Use suitable respiratory protective device in case of insufficient ventilation.
Wear appropriate NIOSH or EU approved respirator when ventilation is inadequate and occupational exposure limits are exceeded.

Protection of hands:

Wear gloves for the protection against mechanical hazards according to NIOSH or EN 388.

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

Body protection: Protective work clothing

Limitation and supervision of exposure into the environment:

No further relevant information available.

Risk management measures: No further relevant information available.

(Cont'd. on page 6)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: OPTICAL POWDER, CRYSTAL FINISHING POWDER, ALUMINUM OXIDE POWDER

(Cont'd. from page 5)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· Appearance

Form: Crystalline Powder - Non-fibrous

Colour: Light brown

· Odour: Odourless

· Odour threshold: Not determined.

· pH-value: Not applicable.

· Melting point/freezing point: 2038 °C (3.700,4 °F)

· Initial boiling point and boiling range: 2980 °C (5.396 °F)

· Flash point: Not applicable.

· Flammability (solid, gas): Not determined.

· Auto/Self-ignition temperature: Not determined.

· Decomposition temperature: Not determined.

· Explosive properties: Product does not present an explosion hazard.

· Explosion limits

Lower: Not determined.

Upper: Not determined.

· Oxidising properties: Non-oxidising.

· Vapour pressure: Not applicable.

· Density:

Relative density: 3,9

Vapour density: Not applicable.

Evaporation rate: Not applicable.

· Solubility in / Miscibility with water:

Insoluble.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity

Dynamic: Not applicable.

Kinematic: Not applicable.

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes

(Cont'd. on page 7)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: OPTICAL POWDER, CRYSTAL FINISHING POWDER, ALUMINUM OXIDE POWDER

(Cont'd. from page 6)

risk of dust explosion.

Reacts with strong acids and alkali.

- **10.4 Conditions to avoid** Prevent formation of dust.
- **10.5 Incompatible materials** No further relevant information available.
- **10.6 Hazardous decomposition products**

Under fire conditions only:

Toxic metal oxide smoke

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:** None.
- **Primary irritant effect**
- **Skin corrosion/irritation:** Slight irritant effect on skin and mucous membranes.
- **Serious eye damage/irritation:** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer):**

13463-67-7 titanium dioxide

2B

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

· **Probable routes of exposure:**

Ingestion.

Inhalation.

Eye contact.

Skin contact.

· **Repeated dose toxicity:**

Repeated or long-term inhalation of product dusts may cause pulmonary disease.

· **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

· **Carcinogenicity:**

Based on IARC classifications and not the CLP classification.

Suspected of causing cancer. Route of exposure: Inhalation.

· **Reproductive toxicity:** Based on available data, the classification criteria are not met.

· **STOT-single exposure:** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

· **Aspiration hazard:** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:** Generally not hazardous for water

(Cont'd. on page 8)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: OPTICAL POWDER, CRYSTAL FINISHING POWDER, ALUMINUM OXIDE POWDER

(Cont'd. from page 7)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Negative ecological effects are, according to the current state of knowledge, not expected.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Contact waste processors for recycling information.
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|--|-----------------|
| · 14.1 UN-Number | |
| · DOT, ADR, IMDG, IATA | Not Regulated |
| · 14.2 UN proper shipping name | |
| · DOT, ADR, IMDG, IATA | Not Regulated |
| · 14.3 Transport hazard class(es) | |
| · DOT, ADR, IMDG, IATA | |
| · Class | Not Regulated |
| · 14.4 Packing group | |
| · DOT, ADR, IMDG, IATA | Not Regulated |
| · 14.5 Environmental hazards: | |
| · Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |

(Cont'd. on page 9)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: OPTICAL POWDER, CRYSTAL FINISHING POWDER, ALUMINUM OXIDE POWDER

(Cont'd. from page 8)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- United States (USA)
- SARA

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

Aluminum oxide listing is only relevant to fibrous forms and is not applicable to the product as supplied.

1344-28-1 | aluminium oxide

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65 (California):

· Chemicals known to cause cancer:

13463-67-7 | titanium dioxide

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer)

13463-67-7 | titanium dioxide

2B

· NIOSH-Ca (National Institute for Occupational Safety and Health)

13463-67-7 | titanium dioxide

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

(Cont'd. on page 10)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 6 August 2020

Revision: 6 August 2020

Trade name: OPTICAL POWDER, CRYSTAL FINISHING POWDER, ALUMINUM OXIDE POWDER

(Cont'd. from page 9)

H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H335 May cause respiratory irritation.
 H351 Suspected of causing cancer. Route of exposure: Inhalation.

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bio-accumulable, Toxic
 SVHC: Substances of Very High Concern
 vPvB: very Persistent and very Bioaccumulative
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 Carc. 2: Carcinogenicity – Category 2
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **Sources**

Website, European Chemicals Agency (echa.europa.eu)
 Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)
 Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
 Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.
 Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com