according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 1 July 2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: WHITE FUSED ALUMINUM OXIDE
- · Other means of identification: No other identifiers
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture: Industrial uses.
- · Uses advised against: No further relevant information available.
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

K.C. Abrasive Company 3140 Dodge Road Kansas City, KS 66115 Phone: (913) 342-2900

· 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to OSHA GHS regulations within the United States.

The product is not classified as hazardous according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to OSHA GHS regulations within the United States. The product is not classified as hazardous according to the CLP regulation.

- · Hazard pictograms Not Regulated
- · Signal word Not Regulated
- · Hazard statements Not Regulated.
- · Precautionary statements Not Regulated.
- · 2.3 Other hazards There are no other hazards not otherwise classified that have been identified.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Components:		
CAS: 1344-28-1	Aluminium oxide	50-100%

(Cont'd. on page 2)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 6 August 2020

Trade name: WHITE FUSED ALUMINUM OXIDE

(Cont'd. from page 1)

EINECS: 215-691-6 substance with a Community workplace exposure limit

Reg.nr.: 01-2119529248-35-XXXX

SECTION 4: First aid measures

· 4.1 Description of first aid measures

After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

Brush off loose particles from skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eve contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed

Slight irritant effect on eyes.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation

Avoid formation of dust.

Avoid breathing dust.

· 6.2 Environmental precautions Damp down dust with water spray.

(Cont'd. on page 3)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 6 August 2020

Trade name: WHITE FUSED ALUMINUM OXIDE

(Cont'd. from page 2)

· 6.3 Methods and material for containment and cleaning up

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of dust.

Any unavoidable deposit of dust must be regularly removed.

Avoid breathing dust.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:

Storage area should be dry and well-ventilated.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:	
1344-28-1 Aluminium oxide	
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust
PEL (USA)	Long-term value: 15*; 5** mg/m³ *Total dust; ** Respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f.
TLV (USA)	Long-term value: 1* mg/m³ as Al; *as respirable fraction

- · **DNELs:** No further relevant information available.
- PNECs: No further relevant information available.

· 8.2 Exposure controls

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid close or long term contact with the skin.

Avoid contact with the eyes.

Avoid breathing dust.

Wash hands before breaks and at the end of work.

· Respiratory protection:

For spills, respiratory protection may be advisable.

(Cont'd. on page 4)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 6 August 2020

Trade name: WHITE FUSED ALUMINUM OXIDE

(Cont'd. from page 3)

Wear appropriate NIOSH or EU approved respirator when ventilation is inadequate and occupational exposure limits are exceeded.

Protection of hands:

Wear gloves for the protection against mechanical hazards according to NIOSH or EN 388.

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection:

Protective work clothing

Protection may be required for spills.

· Limitation and supervision of exposure into the environment:

No further relevant information available.

· Risk management measures: No further relevant information available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physi Appearance		
Form:	Crystalline powder	
Colour:	White	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Melting point/freezing point:	2000 °C (3632 °F)	
Initial boiling point and boiling rai	nge: Not determined.	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not determined.	
Auto/Self-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidising properties	Non-oxidising.	
Vapour pressure:	Not applicable.	
Density:		-
Relative density:	3,98	
Vapour density:	Not applicable.	
Evaporation rate:	Not applicable.	

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 6 August 2020

Trade name: WHITE FUSED ALUMINUM OXIDE

(Cont'd. from page 4)

water: Insoluble.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity

Dynamic: Not applicable. **Kinematic:** Not applicable.

• **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

Reacts with strong acids and alkali.

- · 10.4 Conditions to avoid Prevent formation of dust.
- 10.5 Incompatible materials No further relevant information available.
- · 10.6 Hazardous decomposition products

Under fire conditions only:

Toxic metal oxide smoke

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: None.
- · Primary irritant effect
- · Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation: Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer):

Present in trace quantities.

13463-67-7 Titanium dioxide

2B

Probable routes of exposure:

Indestion.

Inhalation.

Eve contact.

Skin contact.

- Repeated dose toxicity: Long term inhalation of product dust may be harmful.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.

(Cont'd. on page 6)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 6 August 2020

Trade name: WHITE FUSED ALUMINUM OXIDE

(Cont'd. from page 5)

- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: Generally not hazardous for water.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Negative ecological effects are, according to the current state of knowledge, not expected.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not Regulated	
· 14.2 UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA	Not Regulated	
· 14.3 Transport hazard class(es)		
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not Regulated	
· 14.4 Packing group · DOT, ADR/RID/ADN, IMDG, IATA	Not Regulated	
· 14.5 Environmental hazards:		
		Cont'd on page 7)

(Cont'd. on page 7)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 6 August 2020

Trade name: WHITE FUSED ALUMINUM OXIDE

(Cont'd. from page 6)
 Marine pollutant:
 No
 14.6 Special precautions for user
 Not applicable.

 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code
 Not applicable.

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

All ingredients are listed.

· TSCA (Toxic Substances Control Act):

•	
	Aluminium oxide
	sodium peroxide
	Silicon dioxide
	Red Iron Oxide
13463-67-7	Titanium dioxide

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

Present in trace quantities.

13463-67-7 Titanium dioxide

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer)

Present in trace quantities.

13463-67-7 Titanium dioxide

2B

· Canadian D	omestic Substances	List (DSL)
1344-28-1	Aluminium oxide	

	Aluminum oxide
1313-60-6	sodium peroxide

7631-86-9 Silicon dioxide

(Cont'd. on page 8)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 6 August 2020

Trade name: WHITE FUSED ALUMINUM OXIDE

(Cont'd. from page 7)
1309-37-1 Red Iron Oxide

1309-37-1 Red Iron Oxide

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com